



Oide

Tacú leis an bhFoghlaim
Ghairmiúil i measc Ceannairí
Scoile agus Múinteoirí

Supporting the Professional
Learning of School Leaders
and Teachers



LEAVING CERTIFICATE
COMPUTER SCIENCE

Computer Science

Professional Learning Booklet

2023-2024





Oide

Tacú leis an bhFoghlaim
Ghairmiúil i measc Ceannairí
Scoile agus Múinteoirí

Supporting the Professional
Learning of School Leaders
and Teachers



Contents

Introduction	3
Key Messages	3
Session 1: Computers & Society I	4
Stimulate a Debate	4
Session 2: Algorithms II	5
Unconscious Bias	5
Activity 1	5
Algorithmic Bias	7
Activity 2	7
Introduction to algorithms (revisited)	8
Activity 3	8
Searching algorithms: Linear search	9
Breakout task: PRIMM activity on linear search	9
Searching algorithms: Binary search	14
Session 3: Computer Systems III	15
Basic Electronic Components	15
Building Circuits	17
Logic Gates	18
Session 4: Introduction to Modelling and Simulation	20
Introduction	20
Modelling and Simulation	21
Types of Models	22
Modelling Fish Population	24
Making Predictions	25
Activity 1 (creating a predictive model)	26
Discussion	27
Activity 2 (Cat and mouse model)	28
Agent Based Modelling (ABM)	29
Reflection	29
Session 5: ALT3: Investigate and Plan	30
ALT 3: Investigate	30
ALT 3: Plan	31
Session 6: ALT3 - Design, Create & Document	32
ALT 3: Design	32
ALT 3: Create	34
ALT 3: Document	35
Examples and Resources	36

Introduction

Key Messages



There are many ways to use the LCCS specification.

ALTs

ALTs provide an opportunity to teach theoretical aspects of LCCS.



The study of *Computers and society* is one of the overarching principles of LCCS.



Digital technologies can be used to enhance collaboration, learning and reflection.



LCCS can be mediated through a constructivist pedagogical approach.



Critical reflection will be a central component of the student experience and the LCCS teacher's PD journey.


Notes

Session 1: Computers & Society I

Stimulate a Debate

The Evolution of Computers in Society: Resources and Strategies for the Classroom

Notes on using the Stimulate a Debate strategy in your classroom



Session 2: Algorithms II

Unconscious Bias

Read the following scenario once and complete the short survey that follows.

A builder, leaning out of the van, shouts “nice legs” to a nurse passing by. The same nurse arrives at work, and casually mentions this to a senior doctor. The doctor said, “I’d never say that”. The doctor has two grown up children who are 22 and 30. They get on very well. One is a Sergeant in the Army; the other is training to be a beauty therapist. The doctor divorced last year and is currently dating someone else.

Activity 1

Complete the following survey based on the story above. Tick the appropriate box for each statement.

	True	False	Don't know
The builder was driving a van	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The van was travelling quicker than the nurse	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
There was at least one man in the van	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Not every man mentioned would shout ‘nice legs’	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The doctor is no longer living with his wife	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The doctor has a new girlfriend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The doctor’s son is in the army	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The youngest child is training to be a beauty therapist	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At some point a man spoke to a woman	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At least two of the people mentioned are men	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A woman was shouted at	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The scenario did not provide enough information to answer True or False to any of the statements.

Consider why you might have ticked *True* or *False* for any of the above statements

What is unconscious bias and why is it important?



Notes

Algorithmic Bias Activity 2

Open up a text messaging app on your phone and type in separately the two sentences given below. Record the predictions for the next word in the space provided.

Record suggestions here

“The nurse said that...”

“The pilot said that...”

Consider the following sentence...predict what word(s) would be suggested in this example in the space provided.

Record your predictions here

“The computer programmer said that...”

Personal reflection

What are my values as a teacher?

Introduction to algorithms (revisited)

Activity 3

Read the scenario below carefully and then watch the video "[The Secret Rules of Modern Living Algorithms](#)" (BBC documentary with Marcus Du Sautoy) from 23:44 to 26:53.

The Stable Marriage Problem (David Gale and Lloyd Shapely, 1962 and later Alvin Roth)

Suppose you had a group of men and a group of women who wanted to get married. The goal is to find stable matches between two sets of people who have different preferences and opinions on who is their best match.

The central concept is that the matches should be stable: There should be no two people who prefer each other to the partners they actually got e.g. an unstable match would be if Mary and John like each other better than their partners. The problem is to develop a formula to pair everyone off as happily as possible.

What features of an algorithm are demonstrated in the video?

Sometimes solutions to problems can have varied (and unexpected) applications.

In what other contexts do you think the Gale-Shapley algorithm could be used?

Searching algorithms: Linear search

A **linear search** compares what you are looking for (a number, word, character, etc) with each item in a list until it finds what it is looking for (or reaches the end of the list). If it finds the item it is looking for, it returns the **position** in the list of the item. If the item is not found, it simply returns **-1**.

Breakout task: PRIMM activity on linear search

Download and save the starter code for this task in your Python IDE. The starter code is available from tinyurl.com/LCCSlinearSearch.

```

1. # A program to perform a linear search
2.
3. # linearSearch function
4. # takes two parameters: num is the target value, myList is the list to search
5. # if target value found, returns position (index) of 'num'; otherwise, returns -1
6. def linearSearch(num, myList):
7.     for i in range(len(myList)):
8.         if myList[i] == num:
9.             return i
10.    return -1
11.
12. # PYTHON STARTS EXECUTING FROM HERE ...
13. listToSearch = [1,2,3,4,5,6,7,8,9,10]
14. userNum = int(input("Enter the number you want to find:"))
15.
16. # function call
17. position = linearSearch(userNum, listToSearch)
18.
19. # display the result of the linear search
20. print("The number is at position", position)

```

PREDICT

Predict the output of this program for the following four test cases: 3, 8, 12, -2.

Note: the program starts executing at line 13.

RUN

Run the code making sure there are no syntax errors. Were you correct in your earlier prediction(s) for the output? Consider debugging some of the test cases above.

INVESTIGATE

1. Try changing '=' to '!=' on line 8. What happens?
2. What if '=' was changed to '=' on line 8?
3. What happens if you don't enter an integer?
4. Explain the purpose of the two *return* statements on lines 9 and 10? Why are they at different levels of indentation? Under what circumstances does the return statement on line 10 get executed?

MODIFY

1. If the number entered by the user is not found, the program will display “*The number is at position -1*”. Extend the code so that it displays a more meaningful message if the number is not found e.g. “*The number you entered was not found in the list*” (or something similar).
2. Currently, the elements of *listToSearch* are hard-coded on line 13. Modify the code to use a **for loop** to populate this list. You should make the list bigger also, say 20, 50 or even 100 elements (or prompt the user to enter the length of the list *listToSearch* before it is populated). Consider using **random** to populate the list *listToSearch*.
3. Extension exercise: An alternative implementation of the *linearSearch* function uses a variable to store the result of the search which is then returned in a single return statement. Implement a new *linearSearch* function in this way. You should call it *linearSearchV2* (or similar) and consider the following:
 - a. What should the return variable be initialised to? Under what circumstances will it change value?
 - b. Should the search stop once the target value is found? If so, how can you achieve this?

MAKE

Write a program which finds the minimum and maximum number in a list.

Notes

Searching algorithms: Binary search

Notes



Session 3: Computer Systems III

Basic Electronic Components

Basic Electronic Terms and Symbols


Complete the table below using the descriptions and symbols on the next page to help you.

(Note: There may be more than one symbol for some of the components! Description only for 11 - 13)


Component		Description	Symbol
1	Voltage		
2	Battery		
3	Switch		
4	Current		
5	Resistor		
6	Capacitor		
7	Transistor		
8	Light Emitting Diode (LED)		
9	Analogue signal		
10	Digital signal		
11	Logic Gate		
12	Integrated Circuit (IC)		
13	Circuit diagram		

Basic Electronics - descriptions and symbols

A device that stores electrical charge	Building blocks for electrical circuits made up of transistors	A non-continuous signal that has discrete values, e.g. 2 values ON or OFF	
Describes the pressure that pushes electricity	A set of electronic circuits on a semiconductor wafer on which thousands or millions of tiny resistors, capacitors, diodes, and transistors are fabricated		
Used to reduce current flow or to divide voltages	A continuous signal, e.g. radio, sound, light waves	A source of electric power	Electrical charge in motion/flow of electrons
A basic element in an IC, that acts as a switch, controlling the flow of electrical signals in a circuit.	Also called a schematic diagram, uses internationally recognised symbols to represent the electrical connections, components and operation of a particular electrical circuit or system.		Emits light when current flows through it
			used to interrupt the flow of electrons in a circuit



Identify the components in the schematic below.





Building Circuits

Open up the PHET simulator and build the two circuits:

https://phet.colorado.edu/sims/html/circuit-construction-kit-ac-virtual-lab/latest/circuit-construction-kit-ac-virtual-lab_en.html

Circuit with Resistor



1. Given the components (Battery, wires, light bulb, resistor) build the circuit to turn light bulb on.



2. What do you notice about the **direction** of flow of electrons vs flow of current?
3. Change the value of the resistance (or voltage). What do you notice about the current? What do you notice about the light?
4. Add a switch to the circuit. What do you notice if you open/close the switch?

Circuit with Capacitor

5. Add a capacitor into the circuit and build the circuit as shown in the schematic diagram.



6. What do you notice about the position of the capacitor?
7. Close the switch. What do you notice?
8. Open the switch. Does the light bulb turn off? Explain.
9. Place the capacitor in series - what do you notice?
10. Change the display on the simulation to show the circuit diagram/schematic instead.

Logic Gates

Gate	Symbol	Truth Table	Boolean Expressions															
NOT		<table border="1"> <thead> <tr> <th>A</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> </tr> <tr> <td>1</td> <td></td> </tr> </tbody> </table>	A	X	0		1											
A	X																	
0																		
1																		
AND		<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td></td> </tr> <tr> <td>0</td> <td>1</td> <td></td> </tr> <tr> <td>1</td> <td>0</td> <td></td> </tr> <tr> <td>1</td> <td>1</td> <td></td> </tr> </tbody> </table>	A	B	X	0	0		0	1		1	0		1	1		
A	B	X																
0	0																	
0	1																	
1	0																	
1	1																	
OR		<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td></td> </tr> <tr> <td>0</td> <td>1</td> <td></td> </tr> <tr> <td>1</td> <td>0</td> <td></td> </tr> <tr> <td>1</td> <td>1</td> <td></td> </tr> </tbody> </table>	A	B	X	0	0		0	1		1	0		1	1		
A	B	X																
0	0																	
0	1																	
1	0																	
1	1																	

Gate	Symbol	Truth Table	Boolean Expressions															
NAND		<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td></td> </tr> <tr> <td>0</td> <td>1</td> <td></td> </tr> <tr> <td>1</td> <td>0</td> <td></td> </tr> <tr> <td>1</td> <td>1</td> <td></td> </tr> </tbody> </table>	A	B	X	0	0		0	1		1	0		1	1		
A	B	X																
0	0																	
0	1																	
1	0																	
1	1																	
NOR		<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td></td> </tr> <tr> <td>0</td> <td>1</td> <td></td> </tr> <tr> <td>1</td> <td>0</td> <td></td> </tr> <tr> <td>1</td> <td>1</td> <td></td> </tr> </tbody> </table>	A	B	X	0	0		0	1		1	0		1	1		
A	B	X																
0	0																	
0	1																	
1	0																	
1	1																	
XOR		<table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td></td> </tr> <tr> <td>0</td> <td>1</td> <td></td> </tr> <tr> <td>1</td> <td>0</td> <td></td> </tr> <tr> <td>1</td> <td>1</td> <td></td> </tr> </tbody> </table>	A	B	X	0	0		0	1		1	0		1	1		
A	B	X																
0	0																	
0	1																	
1	0																	
1	1																	



Session 4: Introduction to Modelling and Simulation

Introduction


Think: As you watch the video record your thoughts on what a computer model is

Pair: Participants turn to the person next to them to discuss their ideas with a partner.

Share: Participants share their answers with another group

Question	What I thought	What my partner thought	What we will share
What is a computer model?			
Everyday examples of computer models?			

Modelling and Simulation







A computer model is ...

A Simulation is ...

Additional notes

Types of Models

Models can be ...	
	<p>Physical:</p>
	<p>Schematic:</p>
	<p>Mathematical:</p>
	<p>Computational:</p>

Examples of Models

Examples of models include ...

Benefits of Modelling

Some advantages of modelling are ...

Modelling Fish Population

```
import matplotlib.pyplot as pyplot

# A simple population model
initial_population = int(input("Enter the starting population: ")) # e.g. 4000000
years = int(input("Enter the number of years: ")) # e.g. 10 or 100
growth_rate = int(input("Enter the percentage growth rate: ")) # e.g. 8
growth_rate = growth_rate/100
harvest = int(input("Enter the maximum annual harvest allowed: ")) # e.g. 1500

print("Year \t Population")
print("==== \t =====")
population = initial_population
population_list = [ ]
population_list.append(initial_population)
for year in range(years):
    population = (1+growth_rate) * population - harvest
    population_list.append(population)
    print(year + 1, "\t", int(population))

print('The final population is %.2f' %population)

# Display the results graphically
pyplot.plot(range(years + 1), population_list)
pyplot.xlabel('Year')
pyplot.ylabel('Population')
pyplot.show()
```

Some points to consider

Is this model useful?

Could this model be used to test different scenarios? If so, what are they?

Making Predictions

This dataset holds driving test result information. Can we use it to predict an outcome?

ID	GENDER	AGE	CAR MODEL	OUTCOME
1	Male	17	Audi	FAIL
2	Female	28	Toyota	PASS
3	Female	20	VW	PASS
4	Male	18	Toyota	FAIL
5	Male	19	Renault	PASS
6	Male	18	Renault	FAIL
7	Female	17	Toyota	FAIL
8	Male	25	BMW	PASS
9	Female	19	VW	PASS
10	Female	23	Nissan	PASS

In this dataset more information has been added. What about predicting an outcome now?

ID	GENDER	AGE	CAR MODEL	OCCUPATION	INCOME	OUTCOME
1	Male	17	Audi	Student	NIL	FAIL
2	Female	28	Toyota	Teacher	43210	PASS
3	Female	20	VW	Student	5500	PASS
4	Male	18	Toyota	Student	NIL	FAIL
5	Male	19	Renault	Trainee Nurse	18250	PASS
6	Male	18	Renault	Student	NIL	FAIL
7	Female	17	Toyota	Student	8300	FAIL
8	Male	25	BMW	Vet	32750	PASS
9	Female	19	VW	Apprentice	21460	PASS
10	Female	23	Nissan	Nurse	28700	PASS
11	Male	22	BMW	Apprentice	21000	PASS
12	Male	20	Nissan	Student	NIL	FAIL
13	Female	17	Honda	Student	9200	FAIL
14	Male	19	Honda	Student	NIL	FAIL
15	Male	24	Audi	Teacher	38700	PASS
16	Female	19	Renault	Student	8800	PASS
17	Female	22	BMW	Musician	50000	PASS

Notes

The target feature is:

Activity 1 (Creating a predictive model)

Create a predictive model based on the data contained in the dataset you have been assigned.

World Happiness Report 2015-2019

<https://www.kaggle.com/unsdsn/world-happiness>



IMDb Top 100 Movies

<https://www.kaggle.com/datasets/themrityunjaypathak/imdb-top-100-movies>

FIFA World Cup 2022

<https://www.kaggle.com/datasets/die9origephit/fifa-world-cup-2022-complete-dataset>

Significant Earthquakes 1965-2022

<https://www.kaggle.com/usgs/earthquake-database>

Notes

Discussion



Notes

Do you agree/disagree with George Box's assertion that all models are wrong but some are useful? Explain.

Activity 2 (Cat and mouse model)

Download and run the Cat and Mouse code from GitHub and attempt the following questions (<https://github.com/pdst-lccs/NW4/blob/main/catmouse1.py>).

List three descriptive features (variable) used in this model. What is the target variable?

1.

2.

3.

Describe two limitations of the model

1.

2.

Suggest (and explain how you would implement) one change that would improve the model

Agent Based Modelling (ABM)

Notes on an agent-based modelling systems

Notes on emergence/emergent behaviours

Reflection



How will I provide my students with opportunities to learn more about modelling and simulation?

Notes

Session 5: ALT3: Investigate and Plan

ALT 3: Investigate

In your groups, share potential ideas for ALT 3. Aim for as many ideas as you can,

Investigate



ALT 3: Plan

In your assigned groups, evaluate your potential ideas for ALT 3.

Choose one idea for further development.

Develop a functional specification for your chosen idea.

Hint: You may use the following prompt questions to help you:

What will your project do/not do?

Aims? Any limitations?

Who are the end users?

What are the group roles and responsibilities?

What are the tools/materials required?

Will your project allow you to make predictions/decisions more easily?

What is new and has to be researched further?

What other LOs can be experienced through the lens of this project?

Are there any ethical issues?



Plan

A large empty rectangular box for writing the plan.

Session 6: ALT3 - Design, Create & Document

ALT 3: Design


Pseudo-code & flowcharts

```


program start
check weather forecast

if rain predicted
    Stay home
else
    Go golfing
end if

program end
    
```



In your assigned groups, develop your design for your chosen idea. You may use the following prompt questions to help you.




Design

A large empty rectangular box for design work.




ALT 3: Create



Notes

ALT 3: Document




Notes


Blank area for notes.

Examples and Resources







NCCA Population:



Monty Hall Problem



Online Resources

Some useful online resources	
	<p>NetLogo:</p>
	<p>Project GUTS:</p>
	<p>PhET:</p>
	<p>Pixar Animation / Khan Academy:</p>
	<p>Natural Selection / Evolution</p>
	<p>Game of Life:</p>

Notes:

